


moiety, provided that when B is a purine or pyrimidine, it is attached at the N<sup>9</sup> -position of the purine or deazapurine or deazapurine, and when B is pyrimidine, it is attached at the N<sup>1'</sup> position;

wherein A represents a component of a detectable complex and comprises at least three carbon atoms;

wherein B and A are attached together directly or through a linkage group said linkage group not interfering substantially with the characteristic ability of A to form said detectable complex;

wherein if B is a purine, the linkage is attached to the 8 -position of the purine, if B is a deazapurine, the linkage is attached to the 7 -position of the deazapurine, and B is a pyrimidine, the linkage is attached to the 5 -position of the pyrimidine; and

wherein each of x,y and z represents:




and which composition further comprises at least one additional component including a polypeptide capable of directly or indirectly forming said complex with A [said compound].

102. (amended) A [chemical complex] composition in accordance with claim 101 wherein said polypeptide includes a moiety which can be detected.

103. (amended) A [chemical complex] composition in accordance with claim 102 wherein said detectable moiety is a fluorescent dye, [electron] electron dense protein, or enzyme capable of [depositing an insoluble] producing a detectable reaction product.

110. (amended) A [chemical complex] composition comprising a compound [in accordance with Claim 47] having the structure:



wherein each of B, B', and B'' represents a purine, deaza-  
purine, or pyrimidine moiety covalently bonded to the C<sup>1'</sup>  
-position of the sugar moiety, provided that whenever B, B'  
or B'' is purine or deazapurine, it is attached at the N<sup>9</sup>  
-position of the purine or deazapurine, and whenever B, B'  
or B'' is a pyrimidine, it is attached at the N<sup>1</sup> -position;

wherein A represents a component of a detectable complex and  
comprises at least three carbon atoms;

wherein B and A are attached together directly or through a  
linkage group, said linkage group not interfering substantially  
with the characteristic ability of A to form said detectable  
complex;

wherein if B is purine, the linkage is attached to the 8-  
 position of the purine, if B is deazapurine, the linkage is  
 attached to the 7-position of the deazapurine, and if B is a